RasMol v2.7.4.1 Quick Reference Card

Mouse Buttons

Clicking on an atom identifies that atom in the command window. Moving the mouse whilst holding mouse buttons and/or control keys manipulates the molecule. The default bindings are described below.

Mac	Windows	Action
---	Left	Rotate X-Y (or Z)
Command	Right	Translate X-Y
Shift	Shift Left	Zoom
Shift-Cmnd	Shift Right	Rotate Z
Control	Control Left	Z-Clipping (Slab)

General Commands

load [format] \<filename\>	Load a molecule (up to 5)
pdb	Brookhaven Protein Databank
mdl	Molecular Design Limited's Mol file
mol2	Tripos' Sybyl Mol2 file format
alchemy	Tripos' Alchemy file format
charmm	CHARMm format card file
xyz	MSC's XMOL XYZ file format
mopac	J.P. Stewart's MOPAC file format
cif	IUCr CIF or mmCIF file format
exit	Exit from RasMol Script
quit	Terminate pgm execution
help [topic [subtopic]]	Display on-line help topic
select \<expression\>	Update part of molecule
restrict \<expression\>	Display only part of mol.
set bondmode [mode]	Change bond selection
script \<filename\>	Execute file of commands
zap	Delete molecule

Bond Commands

bond \<src\> \<dst\> +	Add a bond
bond \<src\> \<dst\> pick	Pick bond for rotation
unbond \<src\> \<dst\>	Remove a bond

Display Commands

wireframe [boolean]	Display wireframe
wireframe \<rad\>	Display stick bonds
set bondmode all	Mark all atoms
set bondmode none	Mark no atoms
set bondmode not bonded	Mark non-bonded atoms
set bondmode not bonded	Mark non-bonded atoms

spacefill [boolean]	Display spacefill spheres
spacefill \<value\>	Specify atom sphere radius
spacefill temperature	
spacefill user	
star ...	Display stars for spheres
surface molecule \<value\>	
surface solvent \<value\>	
	Display molecule surface
backbone [boolean]	Display alpha backbone
backbone \<value\>	Specify backbone radius
ribbons [boolean]	Display solid ribbons
ribbons \<value\>	Specify ribbon width
strands [boolean]	Draw ribbon as strands
strands \<value\>	Specify ribbon width
set strands \<value\>	Number of ribbon strands
label [boolean]	Draw default atom labels
label \<string\>	Label with arbitrary text
set fontsize \<value\> [FS|PS]	
	Set label font height
set fontstroke\<value\>	Set label stroke width
ssbonds [boolean]	Display disulphide bonds
ssbonds \<value\>	Specify ssbond radius
set ssbonds backbone	SSBonds between alphas
set ssbonds sidechain	SSBonds between sulphurs
hbonds [boolean]	Display hydrogen bonds
hbonds \<value\>	Specify hbond radius
set hbonds backbone	HBonds between alphas
set hbonds sidechain	HBonds donor/acceptor
dots [boolean]	Display dot surface
dots \<value\>	Specify dot density
set solvent [boolean]	VDW or solvent surface
set radius \<value\>	Specify probe sphere rad.
set axes [boolean]	Display co-ordinate axes
set boundbox [boolean]	
	Display bounding box
set unitcell [boolean]	Display crystal unit cell
set monitor [boolean]	Show distance monitor labels
set backfade [boolean]	
	Shade to any background color
set display selected	Currently selected portion
set picking	Series of 13 commands:
	off | ident | distance| angle
	| torsion | label | monitor | center
	coord | bond | atom | group | chain

Language Commands

Bulgarian	Bulgarian menus and messages
Chinese	Chinese menus and messages
English	English menus and messages
French	French menus and messages
Italian	Italian menus and messages
Japanese	Japanese menus and messages
Spanish	Spanish menus and messages

Colour Commands

colour [object] \<colour\>	Colour representation

Objects:

atoms	bonds	backbone
ribbons	labels	hbonds
ssbonds	dots	axes
ribbons1	ribbons2	

Predefined Colours:

Black	Blue	BlueTint	Brown
Cyan	Gold	Grey	Green
GreenBlue	GreenTint	HotPink	Magenta
Orange	Pink	PinkTint	Purple
Red	RedOrange	SeaGreen	SkyBlue
Violet	White	Yellow	YellowTont

Atom Colour Schemes:

cpk, cpknew	amino	shapely
group	chain	structure
temperature	charge	user
alt	model	

colour hbonds type	Colour hbonds by offset
colour dots potential	Display potential surface

Manipulation Commands

depth[boolean]	Enable/disable back-clipping
depth \<value\>	Move back-clipping plane
molecule \<number\>	Specify molecule to manipulate
rotate \<axis\> [-] \<value\>	Rotate molecule
rotate bond	Rotate bond
rotate molecule	Rotate selected molecule
rotate all	Rotate all molecules
translate \<axis\> [-] \<value\>	
	Translate molecule
zoom [boolean]	Scale molecule
zoom \<value\>	Specify magnification
slab [boolean]	Enable/disable slabbing
slab \<value\>	Move Z-clipping plane
centre [expression] {centre|translate}	
	Set centre of rotation
reset	Initial transformation
set stereo [boolean]	Control L&R images

Scripted Commands

load [format] inline	Load molecule from script
pause	Suspend script execution
echo	Display text on command line
refresh	Redraw image
set write [boolean]	Save & write in scripts

Map Commands

map {<map_selector>} {map_subcommand> <parameters>
 <map_selector>: all, new, next or <number>
   manipulate maps for current molecule
map {<map_selector>} generate {dots|mesh|surface}
   generate a map from the current atoms
map {<map_selector>} level {MEAN} <number>
   select a coutour level
map {<map_selector>} { load | save } <filename>
   load a CBF or CCP4 map, save a CBF map
map {<map_selector>} mask { selected | <number> | none }
   generate a mask from selected atoms or
   an existing map by number
map {<map_selector>} { resolution | spacing | spread } <number>
   set spacing and/or spread, spacing=resolution
   spread = 2/3 resolution
map {<map_selector>} {restrict | select}   select maps
   if restrict disable display of the others
map {<map_selector>} show
   show information about selected maps
map {<map_selector>} zap
   erase selected maps

Atom Expressions

Predefined Sets:	alpha
	hydrophobic
Residue Ranges:	3,16,12
	9-20
Boolean Operators:	backbone and not alpha
	ligand or 196-199
Primitive Expressions:	cys, glu, arg, as?
	ser70a, **p, glu24:1
	hem*p.fe, *.sg
Comparison Operators:	atomno=4,atomno=6
	temperature>=900
Within Expressions:	within(8.0,ligand)

Predefined Sets

at	acidic	acyclic	aliphatic
alpha	amino	aromatic	backbone
basic	bonded	buried	cg
charged	cyclic	cystine	helix
hetero	hydrogen	hydrophobic	ions
large	ligand	medium	neutral
nucleic	polar	protein	purine
pyrimidine	selected	sheet	sidechain
small	solvent	surface	turn
water			

define <identifier> <expression>
   User-defined sets

Rendering Commands

background <colour>	Set background colour
set ambient [value]	Depth-cueing/lighting
set shadows [boolean]	Enable/disable shadows
set specular [boolean]	Enable atom highlights
set specpower [value]	Control atom 'shininess'
set shadepower [value]	Control atom 'contrast'

Export Commands

write [format] <filename> Output image file

gif	CompuServe GIF format
iris	IRIS RGB
ps, epsf	Encapsulated PostScript
monops	Monochrome PostScript
vectps	'Cartoon' PostScript
bmp	Microsoft Bitmap format
pict	Apple 'PICT' file
ppm	Portable Pixmap
sun, sunrle	Sun Rasterfile

set vectps <boolean>   Enable cartoon outlines

write script <filename>	Generate RasMol script
write povray <filename>	Generate POVray data
write vrml<filename>	Generate VRMLdata
write molscript <filename>	
	Output MolScript script
write kinemage <filename>	
	Output Kinemage file
save <filename>	Save selected atoms
set kinemage <boolean>	Set Mage file detail
set transparent<boolean>	Allow transparent GIFs
write phipsi<filename>	Generate phi-psi data
write RDF<filename>	Ramachandran plot data
write RPP<filename>	Ramachandran printer
	plot

Misc. Commands

structure	DSSP secondry structure
connect [boolean]	Recalculate connectivity
renumber	Sequentially number chains
show information	Display molecule statistics
show phipsi	Display trosion angles
show RPP	Ramachandran printer plot
show sequence	Display molecule sequence
show symmetry	Display crystal space group
set mouse rasmol	Default mouse bindings
set mouse quanta	Polygen's Quanta bindings
set mouse insight	Biosym's Insight II bindings
set cisangle	CIS angle cutoff

Command Line Editing

In addition to the cursor keys, the following 'emacs' control keys may be used to edit the command line.

Ctrl-H / Ctrl-D	Delete previous/next character
Ctrl-B / Ctrl-F	Move backward/forward a character
Ctrl-A / Ctrl-E	Move to beginning/end of line
Ctrl-P / Ctrl-N	Display previous/next history

Colour Schemes

CPK Atom Colours

Carbon	light grey	[200,200,200]
Oxygen	red	[240,0,0]
Nitrogen	sky blue	[143,143,255]
Hydrogen	white	[255,255,255]
Sulphur	yellow	[255,200,50]
Phosphorous	orange	[255,165,0]
Chlorine	green	[0,255,0]
Bromine, Zinc	brown	[165,42,42]
Calcium	dark grey	[128,128,144]
Unknown	deep pink	[255,20,147]

CPKnew Atom Colours

Carbon	light grey	[211,211,211]
Oxygen	red	[255,0,0]
Nitrogen	sky blue	[135,206,235]
Hydrogen	white	[255,255,255]
Sulphur	yellow	[255,255,0]
Phosphorous	orange	[255,170,0]
Chlorine	green	[0,255,0]
Bromine, Zinc	brown	[128,40,40]
Calcium	dark grey	[105,105,105]
Unknown	deep pink	[250,22,145]

Amino Acid Colours

ASP, GLU	bright red	[230,10,10]
CYS, MET	yellow	[230,230,0]
LYS, ARG	blue	[20,90,255]
SER, THR	orange	[250,150,0]
PHE, TYR	mid blue	[50,50,170]
ASN, GLN	cyan	[0,220,220]
GLY	light grey	[235,235,235]
LEU, VAL, ILE	green	[15,130,15]
ALA	dark grey	[200,200,200]
TRP	pink	[180,90,180]
HIS	pale blue	[130,130,210]
PRO	flesh	[220,150,130]
others	tan	[190,160,110]

Secondary Structure Colours

Alpha Helix	magenta	[240,0,128]
Beta Sheet	yellow	[255,255,0]
Turns	pale blue	[96,128,255]
Other	white	[255,255,255]

Hydrogen Bond Type Colours

Offset +2	white	[255,255,255]
Offset +3	magenta	[255,0,255]
Offset +4	red	[255,0,0]
Offset +5	orange	[255,165,0]
Offset -3	cyan	[0,255,255]
Offset -4	green	[0,255,0]
default	yellow	[255,255,0]